

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




FIGURE 1-1 SYSTEM BLOCK DIAGRAM




FIGURE 1-2
TRANSMITTER WITH KNOWN OUTPUT FUNCTION




FIGURE 1-3
TRANSMITTER WITH MAGNETIC FIELD MONITOR




FIGURE 1-4A
RESIDUAL MAGNETIC FIELD NULLING
USING A NULLING MAGNETIC FIELD




FIGURE 1-4B
VOLTAGE NULLING OF RESIDUAL FIELD SENSOR OUTPUT




FIGURE 1-5A
TRANSMITTER COIL CROSS SECTION FOR SINGLE WIRE COIL
SHOWING SENSOR POSITION AND RESIDUAL FIELD




FIGURE 1-5B
TRANSMITTER COIL CROSS SECTION FOR NORMAL RECTANGULAR COIL
SHOWING SENSOR POSITION AND RESIDUAL FIELD




FIGURE 1-5C
TRANSMITTER COIL CROSS SECTION FOR SHAPED COIL
SHOWING SENSOR POSITION AND RESIDUAL FIELD




FIGURE 1-6
GRADIENT SENSING USING A MATCHED SENSOR PAIR




FIGURE 1-7
SENSOR PAIR CALIBRATION
USING TWO TRANSMITTER EQUAL COILS




FIGURE 1-8
SENSOR PAIR CALIBRATION
USING A LARGE SOLENOID COIL




FIGURE 1-9
SYSTEM WITH MULTIPLE SENSOR PAIRS
AND SYNCHRONOUS DETECTION
BASED ON DSP PROCESSORS




FIGURE 1-10
AN 8 SECTION (+ - + + - + - -)
TIME ENCODED WAVEFORM




FIGURE 2-1
SYNCHRONOUS PULSE WIDTH MODULATION AMPLIFIER




FIGURE 2-2
TYPICAL PULSE WIDTH MODULATION WAVEFORMS




FIGURE 3-1
STANDARD TANK CIRCUIT




FIGURE 3-2
AT RESONANCE TOTAL CURRENT IS ZERO
BECAUSE, $I_L = -I_C$




FIGURE 3-3
TANK CIRCUIT WITH SERIES CAPACITOR
AND INDUCTOR TO LIMIT OFF RESONANCE I_C




FIGURE 3-4
TANK CIRCUIT WITH TWO RESONANCES




FIGURE 3-5
TANK CIRCUIT WITH
SINGLE FREQUENCY BLOCKING CIRCUIT




FIGURE 3-6
TANK CIRCUIT WITH
A MULTIPLE FREQUENCY BLOCKING CIRCUIT
FOR N DISCRETE FREQUENCIES




FIGURE 4-1
WHEN SWITCH IS CLOSED CIRCUIT OSCILLATES
AT RESONANT FREQUENCY, w_R




FIGURE 4-2
 AN H-BRIDGE SWITCH NETWORK
 CONNECTINT THE CHARGED CAPACITOR
 TO THE LOAD COIL




FIGURE 4-3
SWITCHED CAPACITOR CIRCUIT WAVEFORMS




FIGURE 4-4
PULSE WIDTH MODULATED
SWITCHED CAPACITOR RESONATOR




FIGURE 4-5
SWITCHED CAPACITOR RESONATOR
WITH INTEGRAL SWITCHING POWER SUPPLY




FIGURE 5-1
SENSE COIL EQUIVALENT CIRCUIT




FIGURE 5-2
OPERATIONAL AMPLIFIER BASED
VOLTAGE TO CURRENT CONVERSION CIRCUIT

Sensitivity for #32 Wire with R=10 MOhm





FIGURE 5-3


FUNDAMENTAL
TIME
STEP



SINGLE CYCLE


NOTE: AN INTEGER NUMBER OF CYCLES PER TIME STEP
(3 IN THIS PATTERN)

FIGURE 6-1
A 4 SEGMENT (+ - - +)
TIME ENCODED WAVEFORM




NOTE: THE INTEGRAL OF THIS WAVEFORM WITH A CONTINUOUS SINE WAVE IS ZERO

FIGURE 6-2
CORRELATION OF THE 4 SEGMENT (+ - - +)
ENCODED WAVEFORM WITH ITSELF




NOTE: THE INTEGRAL OF THIS WAVEFORM WITH A CONTINUOUS SINE WAVE IS 0.0526

FIGURE 6-3
 CORRELATION OF THE 19 SEGMENT
 (+ + + + - - + + - + + - - - - + - + -)
 ENCODED WAVEFORM WITH ITSELF



NOTE: THE INTEGRAL OF THIS WAVEFORM WITH A CONTINUOUS SINE WAVE IS -0.1

FIGURE 6-4
CORRELATION OF THE 20 SEGMENT
(+ - - - + + - - + - - + - + + - + - + -)
ENCODED WAVEFORM WITH ITSELF



NOTE: THE INTEGRAL OF THIS WAVEFORM WITH A CONTINUOUS SINE WAVE IS ZERO

FIGURE 6-5
 CORRELATION OF THE 22 SEGMENT
 (+++++-----+---+---++++--++)
 ENCODED WAVEFORM WITH ITSELF




FIGURE 7-1
LOCAL MAGNETIC FIELD GENERATION
FOR RESIDUAL FIELD CANCELLATION